

4

3

2

1

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS

| REV | DESCRIPTION | DATE | ENGR |
|-----|-------------|----------|------------|
| G | ECN #4278 | 10/01/12 | S MARSHALL |

D

D

C


C

B

B

A

A



5. MAXIMUM CONTACT MATING FORCE SHOULD NOT EXCEED 100 LBS [444.8 N]

4. MAX CABLE BUNDLE EFFECTIVE DIAMETER = 1.37 IN.

3. PROTECTIVE COVER INCLUDED WITH ASSEMBLY (NOT SHOWN)

2. MATERIALS:

FRAME: ALUMINUM ALLOY - Ni PLATED

HARDWARE: STAINLESS STEEL ALLOY

DRIVE UNIT: BRONZE ALLOY & STAINLESS STEEL ALLOY

PLASTIC COMPONENTS & PROTECTIVE COVER: BLACK THERMOPLASTIC

HANDLE: ALUMINUM ALLOY - POWDER COATED

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM

NOTES:

CUSTOMER DRAWING

VIRGINIA PANEL CORPORATION

WWW.VPC.COM

ITA, ICON EMI

DIMENSIONS ARE SHOWN AS:

[MILLIMETERS]
INCHES

SIZE

CAGE CODE

DWG.NO.

REV

SCALE: 1:1

410123102

1/23/08

SHEET

1 OF 1